# FALLS ALGORITHM



## Five stages of managing an inpatient fall

### **STAGE 1**

- Assess patient on floor for any obvious injury
- Check vital signs/GCS-neurological observations
- Check for signs & symptoms of injury/ fracture
- ✓ Call patients medical team/doctor
- ✓ Use safe manual handling when moving patient from the floor

### **STAGE 2**

- ✓ Identify patient as a Falls Risk on whiteboard
- Complete clinical incident form
- ✓ Place falls risk information at patients bed
- ✓ Inform patients next of kin
- ✓ Commence falls care plan & reassess FRAT score
- Record details of the fall on the Safety Cross

### STAGE 3

NOTIFY PATIENT'S TEAM ABOUT THE FALL & PLACE ORANGE FALLS STICKER IN THE CLINICAL NOTES

Refer to fracture liaison service if patient is over 50 and sustained a fracture post-fall

### **STAGE 4**

Consider investigating the following as the cause of the fall:

### **Environmental** causes

- Remove risk
- Consider moving patient to a different bed space

### **Medical Reasons**

- Low BP Medication
- Confusion Poor Vision

Consider medical review

review of medications

Ophthalmology review

ENT review

Consider pharmacist

Poor Hearing

### **PolyPharmacy**

- Consider medical review
- Consider pharmacist review medications

### **Unsteady gait**

- Request physiotherapy review
- If reduced function consider occupational therapy review

### **STAGE 5**

